Material Safety Data Sheet

Product Name: C106(001x6) series, C107(001x7) series, C108(001x8) series, C110(001x10) series, C112(001x12) series, Na Form, Gel Type, Strong Acid, Sodium Form Cation Exchange Resin(6-12% DVB), of various particle size range and resin bead colors

Effective date: 10/01/06

Company Address: General Technologies, SPC 14200 Hadley St. Overland Park, KS 66223

Information Numbers:

Emergency Phone Number: 913-766-5566 / 816-590-9631 Fax Number: 253-663-9333 Email: info@gtspc.com Website: http://gtspc.com/ixchange/

- 1. Ingredients: Sulfonated copolymer of Styrene and divinylbenzene in the sodium form CAS# 69011-22-9
 - Water CAS# 007732-18-5
 - This document is prepared pursuant to the OSHA Hazard Communication Standard (29CFR 1910.1200). In Addition, other substances not hazardous per this OSHA Standard may be listed. Where proprietary ingredient Shows, the identity may be made available as provided in this standard.

2. Physical / Chemical Data:

Boiling Point:	NotApplicable		
Vapor Pressure (MM H	G): NotApplicable		
Evaporation Rate (water = 1): 1			
Appearance & Odor:	Amber solid beads. No to low odor.		
Specific Gravity:	1.2 (water = 1)		
Melting Point (deg. F)	NotApplicable		
Solubility in Water :	Insoluble		
Thermal: M	ay yield oxides of carbon and nitrogen		
Vapor Density:	NotApplicable		

Product Hazard Rating Scale

Toxicity = 0	0 = Negligible
Fire = 0	1 = Slight
Reactivity = 0	2 = Moderate
Special N/A	3 = High
	4 = Extreme

3. Fire & Explosion Hazard Data

Flammable Limits:	800 [°] Deg. F	
Unusual Fire & Explosion Haz	zards: Product is not combustible until moisture is removed, Then resin starts to burn in	
flame at 230 C. Autoignition occurs above 500C. Possible fire.		
Combustion Products:	Hazardous combustion products may include and are not Limited to : hydrocarbons,	
	sulfur oxides, organic sulfonates, Carbon monoxide, carbon dioxide, benzene compounds.	
Extinguishing Media:	Water, CO2, Talc, Dry Chemical	
Special Fire Fighting Procedures: MSHA / NIOSH approved self-contained breathing gear.		

4. Reactivity Data

Stability:	Stable	
Conditions to Avoid:	Temperatures above 400 ^O F	
Hazardous by Produc	cts: See Section 3 above for possible combustion products.	
Materials to avoid contact	t with: Strong oxidizing agents (i.e. nitric acid)	
Hazardous Polymeriz	zation: Material does not polymerize	
Storage:	Store in a cool dry place	

5. Health Hazards & Sara (Right to Know)

Emergency First Aid P	Procedures: Contact with eyes can and skins can cause irritation.		
Skin Absorption:	Skin absorption is unlikely due to physical properties.		
Ingestion:	Single dose or al LD50 has not been determined. Single Does or al toxicity is believed to be low.		
No	hazards anticipated from ingestion incidental to industrial exposure.		
Inhalation:	Vapors are unlikely due to physical properties.		
Systemic & Other Effect	ects: No specific data available, however, repeated exposures are not		
anticipated to cause any significant adverse effects.			
Carcinogenicity:	NotApplicable		
Sara title 3, sections 311 & 312: All ingredients are non-hazardous			
6. First Aid			
Eyes :	irrigate immediately with water for at least 5 minutes. Mechanical irritation only.		
Skin:	No adverse effects anticipated by this route of exposure.		
Ingestion:	No adverse effects anticipated by this route of exposure incidental to proper industrial		
Handling.			
Inhalation:	No adverse effects anticipated by this route of exposure.		
7. Control Measures			
Respiratory protection	: Not required for normal uses if irritation occurs from breathing-get fresh air!		
Eye protection:	Splash goggles		
Ventilation:	Normal		
Protective Gloves:	Not required.		
8 Safe handling procee	dures		

8. Safe handling procedures

 In Case of Spills:
 Sweep up material and transfer to containers. Use caution the floor will be slippery!

 Disposal Method:
 Bury resin licensed landfill or burn in approved incinerator according to local, state, and federal regulations. For resin contaminated with hazardous material, dispose of mixture as hazardous material according to local, state and federal regulations.

9. Additional Information:

Special precautions to be

Special precaution				
taken in handling	and storage: Practice reasonable ca	re and caution .Metal equipment should be compatible with		
	feed, regenerant, resin form, and effluent of that process.			
TSCA Considera	ons: Every different salt or ionic	c form of an ionexchange resin is a separate chemical. If		
	you use an ion-exchange resin for ion-exc	hange purposes and then remove the by-		
product resin from its vessel or container prior to recovery of the original or another				
form of the resin or of another chemical, the by-product resin must be listed on the				
TSCA Inventory (unless an exemption is applicable). It is the responsibility of the				
customer to ensure that such isolated, recycled by-product resins are in compliance				
	with TSCA. Failure to comply could result in substantial civil or criminal penalties			
	being assessed by the Environmental Pro	oduction Agency.		
MSDS Status:	Canadian regulatory information a	dded.		
10. Regulatory Information: (Not meant to be all-inclusive -selected regulations represented.)				
Notice:	The information herein is presented in	good faith and believed to be accurate as of the		
	effective date shown above. However, no wa	rranty, express or implied, is given.		
	Regulatory requirements are subject to cha	nge and may differ from one location to		
	another, it is the buyer responsibility to ensu	are that its activities comply with federal,		

state or provincial, and local laws. The following specific information is made for the

purpose of complying with numerous federal, state or provincial, and local laws and

The Canadian Workplace Hazardous Materials Information System (WHMIS)

regulations. See MSDS Sheet for health and safety information.

11. Canadian Regulations:

WHMIS Imformation:

Classification for this product is:

This product is not controlled Product under WHMIS.

Canadian TDG Information: For guidance, the Transportation of Dangerous G ood Classification for this product is Not regulated.